Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	1098	ready same (interrupt signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 18:50
S8	721	ready same (interrupt signal) same control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 18:51
S11	12	(processor near3 ready) same (interrupt signal) same control$4 same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 18:53
S9	242	ready same (interrupt signal) same control$4 same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 18:53
S14	3	busy same procesor same interrupt same generat$3 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 19:37
S13	3	busy same procesor same interrupt same generat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 19:37
S17	200	(slave or device) same (busy or ("not ready")) same (interrupt adj2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 19:39
S16	897	(slave or device) same (busy or ("not ready")) same interrupt same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 19:39
S20	1	(processor near3 busy) same (interrupt$3 adj2 signal) same (master same slave)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/07 19:43
S23	0	(interruption signal) same ("not ready")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/12 19:20

S26	0	(interruption signal) same (busy (state status)) same (respond$3 or return$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/12 19:44
S24	259	(interruption signal) same (busy or ready)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/12 19:44
S28	5	(interrupt$3 signal) same (busy (state or status)) same (respond$3 or return$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/12 19:45
S27	0	(interruption signal) same (busy (state or status)) same (respond$3 or return$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/12 19:45
S30	49	(microprocessor near3 busy) same interrupt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/13 10:31
S32	11	(data transmission) same (busy or ready) same (interrupt$4 near3 respon$4) same (state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/13 10:45
L2	1	"5892894".pn. and ((busy notification) same interrupt$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/13 12:35
L1	2	"5892894".pn. and (busy notification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2004/12/13 12:35